

INDEX

Synonyms are printed in *italics*; new names in bold-face type.

- Abies Beissneriana*, 54
 — *brachytyla*, 48
 — *chinensis*, 50
 — *Davidiana*, 53
 — *Delavayi*, 55
 — *dumosa chinensis*, 49, 50
 — *Faberi*, 55
 — *Fargesii*, 55
 — *Forrestii*, 56.
 — *likiangensis*, 47
 — *sacra*, 53
 — *thei-sha*, 50
 — *Tsuga*, 50
 — *yunnanensis*, 49
Acacia Farnesiana, 90
 — *Lebeck*, 152
 — *macrophylla*, 152
 — *nemu*, 151
 — *spirorbis*, 90.
Acalypha neo-caledonica, 92.
Acanthopanax pentaphyllum variegatum, 243
 — *Sieboldianus variegatus*, 242
Acanthus ilicifolius, 102
 Accessions to the Herbarium during the
 year ended June 30, 1926, 248
 — to the Library during the year ended
 June 30, 1926, 246
Acer betulifolium, 223
 — *Buergerianum*, 220
 — *cappadocicum*, 218
 — *caudatum multiserratum*, 219
 — — *ukurunduense*, 219
 — *Davidi*, 221
 — — *glabrescens*, 221, 222
 — — *horizontalis*, 221, 222
 — *discolor*, 221
 — *erianthum*, 219
 — *Francheti*, 224
 — *ginnala*, 220
 — — *Eu-ginnala*, 220
 — *Giraldii*, 219
 — *griseum*, 224
 — *Grosseri*, 222
 — *Henryi*, 225
 — *Hersii*, 222
 — *Hersii*, 222
 — *Lobelii*, 216
 — *laetum*, 217
 — — *truncatum*, 215
Acer leucoderme, 130
 — *longipes*, 218
 — *Maximowiczii*, 223
 — *multiserratum*, 219
 — *oblongum*, 221
 — — *glaucum*, 221
 — *Oliverianum*, 219
 — *palmatum*, 218
 — *pictum*, 216
 — — *Mono*, 216
 — — *parviflorum*, 216
 — — *typicum mono*, 216
 — *pilosum*, 224
 — *robustum*, 218
 — *rubrum*, 129
 — — *tridens*, 129, 143
 — *saccharinum*, 129
 — *sp.*, 222
 — *spicatum ukurunduense*, 219
 — *tataricum*, 220
 — — *Ginnala*, 220
 — *tetramerum betulifolium*, 223
 — *trifidum*, 221
 — *truncatum*, 215
 — *truncatum*, 216
 — *urophyllum*, 223
Acmopyle Pancheri, 80
Acronychia laevis, 91
Aegle sepiaria, 186
Aesculus arguta, 241
 — *chinensis*, 225, pl. 2
 — *discolor mollis*, 129
 — *glabra arguta*, 241
 — — *Buckleyi*, 241
 — — **Sargentii**, 241
 — *Harbisonii*, 241
 — *mutabilis Harbisonii*, 241
Agathis hypoleuca, 82
 — *lanceolata*, 81
 — *Moorei*, 81
 — *ovata*, 81
 — *spinulosa*, 82
Agation Deplanchei, 95
Aglaiia elaeagnoidea, 91
Ailanthus altissima, 188
 — *cacodendron*, 188
 — *Giraldii*, 189
 — *glandulosa*, 188
Albizzia auriculata, 90

- Albizzia julibrissin*, 151
 — *kalkora*, 152
 — *Lebeck*, 152
 — *sp.*, 152
Alchornea Davidi, 192
 — *Giraldii*, 193
 — *rufescens*, 193
Alnus rugosa, 118
Alphitonia neo-caledonica, 93
Alstonia Duerckheimiana, 100, 251
 — *plumosa*, 100
 — *Vieillardii*, 100
Alyxia celastrinea, 101
 — *grandis*, 101
 — *leucogyne*, 101
 — *sapiifolia*, 101
 — *semperflorens*, 101
Amelanchier canadensis, 123
Amorpha croceolanata, 128
 — *fruticosa*, 127
 — *glabra*, 127
 — *nitens*, 128
 — *tennesseensis*, 127
Ampelopsis arborea, 131
 — *cordata*, 131
Amygdalus Petunnikowi, 29
Andrachne capillipes, 190, 191
 — *chinensis*, 190
 — *hirsuta*, 191
 — *phyllanthoides*, 128
Aralia chinensis fastigiata, 243
 — *elata fastigiata*, 243
 — *Gemma*, 98
 — *spinosa*, 132
Araucaria Balansae, 84
 — *columnaris*, 83
 — — **luxurians**, 84.
 — — **pendula**, 84
 — *Cookii*, 84
 — — *gracilis*, 84
 — — *luxurians*, 84
 — — *pendula*, 84
 — — *Raoulei*, 84
 — — *rigida*, 84
 — *elegans*, 85
 — *excelsa*, 84
 — — *Goldieana*, 83
 — *Goldieana*, 83
 — *intermedia*, 82
 — *montana*, 83
 — *Muelleri*, 83
 — *Raouli*, 84
 — *Rulei*, 82
 — *Rulei*, 83
Araucaria Rulei compacta, 83
 — — *elegans*, 85
 — — *Goldieana*, 83
 — — *grandifolia*, 83
 — — *patens*, 83
 — — *pendula*, 83
 — — *polymorpha*, 83
 — *subulata*, 84
 — *Van Geertii*, 83
Argophyllum montanum, 88
 — *Schlechterianum*, 88
 Arnold Arboretum expedition to north central Asia, 68, 244
 Arnold Arboretum, New species, varieties and combinations of the, 22, 145, 239
Arundinaria macrosperma, 116
Ascarina rubricaulis, 86
Ascyrum hypericoides, 131
 — *stans*, 131
Asimina triloba, 121
Astragalus chrysopterus, 171
Austrotaxus spicata, 81
Avicennia officinalis, 101
 — *resinifera*, 101
Azalea indica calycina, 33
Baeckea ericoides, 98
 — *parvula*, 98
 — *virgata*, 98
Baloghia carunculata, 92
 — *lucida*, 92
 — *Pancheri*, 92
Bauhinia Faberi, 153
Beilschmiedia lanceolata, 88
Benzoin aestivale, 122
Berchemia scandens, 130
Betula nigra, 117
Bignonia capreolata, 135
 — *radicans aurea*, 34
 — — *lutea*, 34
Bocquillonia sessiliflora, 92
 — *spicata*, 92
Bradleya mollis, 30
Bruguiera eriopetala, 96
 — *Rumphii*, 96
Brunnichia cirrhosa, 121
Bumelia lanuginosa, 134
 — *lycioides*, 141
Bureavia carunculata, 92
Buxus japonica, 240
 — *microphylla*, 240
 — *microphylla*, 194
 — — *koreana*, 240
 — — *riparia*, 240
 — — *Sinica*, 240

- Buxus microphylla sinica*, 194
 — *sempervirens*, 194
Caesalpinia sepiaria, 155
 — *sp.*,
Callitris Balansae, 85
 — *sulcata*, 85
 — — *alpina*, 85
Callitropsis araucarioides, 85
Calocedrus macrolepis, 63
Calophyllum caledonicum, 95
 — *montanum*, 95
Calycocarpum Lyoni, 122
Calycorectes rubiginosa, 96
Campsis radicans, 135
 — — *aurea*, 34
 — — **flava**, 34
Campylotropis chinensis, 178
 — *Giraldii*, 178
 — *macrocarpa*, 178
Canarium Whitei, 91
Caprifolium flexuosum, 37
 — *japonicum subverticillare*, 37
Caragana altagana, 170
 — *arborescens*, 167
 — *arborescens*, 170
 — *brevifolia*, 165
 — *chamlagu*, 164
 — *chamlagu*, 157, 164
 — *chinensis*, 164
 — *densa*, 166
 — *digitata*, 164
 — *erinacea*, 166
 — *frutescens*, 164
 — — *floribus roseis*, 164
 — — *rosea*, 164
 — *frutex*, 164
 — *jubata*, 167
 — *Leveillei*, 165
 — *Maximowicziana*, 166
 — *microphylla*, 170
 — *microphylla*, 167, 168
 — *opulens*, 165
 — *pekinensis*, 168
 — *Potanini*, 170
 — **Purdomii**, 168
 — *pygmaea*, 166
 — **reticulata**, 169
 — *rosea*, 164
 — *sericea*, 168.
 — *stipitata*, 170
 — *tangutica*, 166
 — *tibetica*, 166
 — *tragacanthoides*, 166
 — — *villosa*, 166
Caragana Zahlbruckneri, 167
Carpinus caroliniana, 117
Carumbium nutans, 93
Carya alba, 117
 — — *ovoidea*, 140
 — *aquatica*, 117
 — *Buckleyi arkansana*, 117
 — — *villosa*, 117
 — *cordiformis*, 117
 — *leiodermis*, 117
 — *ovalis obovalis*, 117
 — *ovata*, 117
Casearia silvana, 95
Cassia mimosoides, 153
Castanea ozarkensis, 118
Casuarina Cunninghamiana, 86
 — *Deplancheana crassidens*, 86
 — — *debilis*, 86
 — *equisetifolia incana*, 86
 — *nodiflora*, 86
 — *Poissoniana*, 86
Catalpa bignonioides, 135
 — *speciosa*, 135
Ceanothus americanus, 130
Cedrela sinensis, 189
Cedrus libanitica, 145
 — *libanotica*, 145
 Celastraceae, *Monimopetalum*, a new genus
 of, 233
Celastrus angulata, 211
 — *articulata*, 212
 — *flagellaris*, 214
 — *hypoleuca*, 212
 — *hypoleucus argutior*, 212
 — *latifolia*, 213
 — *latifolius*, 212
 — *Loeseneri*, 214
 — *Loeseneri*, 213
 — *n. sp.*, 213
 — *orbiculatus*, 213
 — — *major*, 213
 — *stylosa*, 213
 — *Tartarinowii*, 213
Celtis laevigata, 121
 — — *texana*, 121
 — *orientalis*, 86
 — *pumila georgiana*, 121
Cephaelis Balansae, 103
 — *Fagueti*, 102
 — *Pancheri*, 102
 — *Schumanniana*, 102
Cephalanthus occidentalis, 135
Cephalotaxus drupacea, 40
 — — *sinensis*, 40

- Cephalotaxus drupacea*, 39
 — *filiformis*, 39
 — *Fortunei*, 39
 — *Griffithii*, 39
 — *Mannii*, 40
 — *Mannii*, 39
Cerbera Linnaei, 101
 — *manghas*, 101
Cercis canadensis, 127
 — *chinensis*, 152
Chamaecyparis formosensis, 229
Cladrastis amurensis, 158
 — *Wilsonii*, 159
Cleidion tenuispica, 92
 — *Vieillardii*, 92
Clematis alpina carunculosa, 24
 — *chiisanensis carunculosa*, 24
 — *chrysocoma sericea* × *montana rubens*, 148
 — *Simsii*, 121
 — *Spooneri rosea*, 148
 — *vedrariensis rosea*, 148
 — *versicolor*, 121
Clerodendron inerme, 101
Cloezia canescens, 97
 — *Deplanchei*, 97
 — *floribunda*, 97
 — *ligustrina*, 97
Clusia Puat, 95
Clusianthemum amplexicaule, 95
Cissus incisa, 131
Citrus Medica, 187
 — *trifoliata*, 186
 — *Warburgiana*, 232
Cocculus carolinus, 122
Codiaeum carunculatum, 92
 — *lucidum*, 92
 — *Pancheri*, 92
Commersonia echinata, 94
 Conifers of Yunnan, The Taxads and, 37
Cordyline cannaefolia, 85
 — *neo-caledonica*, 85
Coriaria nepalensis, 194
 — *sinica*, 194
Cornus asperifolia, 132
 — *florida*, 132
 — — **plurobracteata**, 243
 — *racemosa*, 132
Coronanthera pedunculata stellata, 102
 Corrections and emendations of the second edition of Sargent's Manual of the trees of North America, 1
Corylus americana, 118
 — *avellana* × *chinensis*, 146
 — — × *tibetica*, 147
Corylus spinescens, 147
 — **Vilmorinii**, 146
Cotinus coggygria, 196
 — *coggygria cinerea*, 196
 — — *pubescens*, 195
Crataegus apiifolia, 125
 — *bellica*, 123
 — *blanda*, 123
 — *Bushii*, 123
 — *Engelmannii*, 123
 — *Harveyana*, 124
 — *Mohrii*, 123
 — **ouachitensis**, 124
 — — **minor**, 125
 — *padifolia incarnata*, 124
 — *pilifera*, 123
 — *regalis*, 123
 — *seclusa*, 124
 — *sordida villosa*, 123
 — *spathulata*, 125
 — *straminea*, 124
 — *subpilosa*, 123
 — **thermopegaea**, 125
 — *trianthophora*, 123
 — *viridis*, 123
Crossostylis grandiflora, 96
 — *Sebertii*, 96
Croton nutans, 93
Cryptocarya lanceolata, 88
Cryptomeria Fortunei, 59
 — *japonica*, 59
 — — *japonica*, 59
 — *Kawaii*, 59
Cunninghamia lanceolata, 57
 — *sinensis prolifera*, 57
Cunonia macrophylla, 89
 — *montana*, 89
 — *purpurea*, 89
Cupania apetala, 93
 — *villosa*, 93
Cupaniopsis oedipoda, 93
Cupressinata dislichia pendula, 22
Cupressus columnaris, 83
 — *disticha nutans*, 22
 — — *pendula*, 22
 — *Duclouxiana*, 60
 — *funebri*, 61
 — — *gracilis*, 61
 — *japonica*, 59
 — *pendula*, 61
 — *sempervirens*, 60
 — *torulosa*, 60
Cussonia dioica, 98
Cycas circinalis, 76

- Cycas neo-caledonica*, 76
 — *revoluta*, 77
 — *sp.*, 77
Cydonia oblonga × *Pyrus communis*, 148
Dacrydium araucarioides, 80
 — *arthrotaxoides*, 80
 — *Balansae*, 80
 — *elatum compactum*, 77
 — — *tenuifolium*, 77
 — *lycopodioides*, 80
 — *Pancheri*, 81
 — *taxoides*, 80
 — *ustum*, 78
Dalbergia Dyeriana, 179
 — *hupeana*, 179
Dammara hypoleuca, 82
 — *lanceolata*, 81
 — *Moorei*, 82
 — *ovata*, 81
 — *spinulosa*, 82
Dedea media, 88
Desmodium podocarpum, 171
 — *tiliifolium Potaninii*, 171
Diospyros macrocarpa, 100
 — *virginiana*, 134
Diplanthera Deplanchei, 102
Dipteronia sinensis, 215
Discostigma corymbosa, 95
Dodonaea viscosa, 93
Douarrea alba, 103
 — *speciosa*, 103
Dracaena neo-caledonica, 85
Dracophyllum amabile, 99
 — *cosmelioides*, 99
 — *gracile*, 99
 — *ramosum*, 99
 — *verticillatum*, 99
Duboisia myoporoides, 102
Durandea Deplanchei, 90
Dysoxylum glomeratum, 91
 — *minutiflorum*, 91
Elaeocarpus persicaefolius, 94
 — *polyschistus*, 94, 251
 — *rotundifolius*, 94
Elattostachys apetala, 93
Eleutherococcus japonicus variegatus, 243
 Enumeration of the ligneous plants of
 northern China, 151
Epicharis minutiflora, 91
Epigaea repens plena, 244
Eriostemon pallidum, 90
Eugenia Gacognei, 96
 — *Homei*, 96
 — *multipetala*, 96
Eugenia ngoyensis, 97
 — *patens*, 97
Eutacta Cookii, 84
 — — *ovalifolia*, 84
 — — *viridis*, 84
 — *humilis*, 84
 — *minor*, 84
 — *Muelleri*, 83
 — — *microphylla*, 83
 — *Pancherii*, 83
 — *Rulei*, 82
 — — *compacta*, 83
 — — *polymorpha*, 83
 — *subulata*, 84
Evodia Daniellii, 185
 — *Daniellii*, 185, 186
 — *drupacea*, 90
 — *Henryi*, 185
 — *hupehensis*, 185
 — *pseudo-obtusifolia*, 90
 — *rutaecarpa*, 186
Evonymus alata, 200
 — — *aperta*, 202
 — — *aperta*, 200
 — — *aptera*, 201
 — — *pilosa*, 201
 — — *pubescens*, 201
 — — *subtriflora*, 201
 — *alatus ciliato-dentatus*, 200
 — *americana*, 129
 — *Bungeana*, 205
 — — *pendula*, 31
 — *chinensis microcarpa*, 210
 — *cornuta*, 209
 — *elegantissima*, 208
 — *europaea Hamiltoniana*, 203
 — *fimbriata*, 206
 — *fimbriata*, 207
 — *Giraldi*, 206
 — *Giraldii angustialata*, 207
 — — *ciliata*, 207
 — — *genuina*, 207
 — *grandiflora*, 211
 — *Hamiltoniana*, 205
 — *japonica*, 211
 — — *acuta*, 211
 — — *radicans*, 211
 — *kiautschovica*, 210
 — — *patens*, 210
 — *lanceifolia*, 204
 — *Maackii*, 205
 — *macroptera*, 209
 — *micrantha*, 206
 — *microcarpa*, 210

- Evonymus nana*, 200
 — *nanoides*, 203
 — *oxyphylla*, 209
 — *patens*, 210
 — *pauciflora chinensis*, 204
 — *phellomana*, 203
 — *porphyrea*, 208
 — *Przewalskii*, 203
 — *radicans, acuta*, 210
 — — — *colorata*, 30
 — *sacchalinensis*, 209
 — *sanguinea*, 207
 — — *brevipedunculata*, 208
 — — *camptoneura*, 207
 — — *laxa*, 208
 — — *orthoneura*, 207
 — *shensiana*, 208
 — *striata*, 200
 — *subtriflora*, 201
 — *Thunbergiana*, 200
 — *venosa*, 210
 — *verrucosa chinensis*, 204
 — — *tchefouensis*, 204
 — *verrucosoides*, 202
 — *yedoensis Koehneana*, 205
Excoecaria japonica, 193
Exocarpus dilatatus, 87
 — *neo-caledonicus*, 87
 — *phyllanthoides*, 87
Exochorda dentata, 24
 — *racemosa dentata*, 24
Fagara ailanthoides, 185
 — *schinifolia*, 184
 — — *macrocarpa*, 185
Fagraea grandis, 100
 — *Schlechteri*, 100
Ficus austro-caledonica subattenuata, 86
 — *Carica*, 121, 249
 — *edulis cordata*, 87
 — — *ovata*, 87
 — *philippinensis*, 87
 — *proteus*, 87
 — *stenocarpa*, 87
 — *Webbiana cordata*, 87
Flagellaria elegans, 86
 — *indica*, 86
 — *plicata*, 86
Flindersia Fournieri, 90
Flueggea suffruticosa, 191
Fokienia Kawaii, 62
Fontainea Pancheri, 92
Fraxinus americana, 134
 — *pennsylvanica lanceolata*, 134
Frenela Balansae, 85
Frenela subumbellata, 85
 — *sulcata*, 85
Garcinia amplexicaulis, 95
 — *corymbosa*, 95
 — *Pancheri*, 95
Gardenia lucens, 102
 — *platyxydon*, 102
Geblera suffruticosa, 191
Geissois hirsuta, 89
 — *pruinosa*, 89
 — *racemosa*, 89
 — *sp.*, 89
Geniostoma foetens, 100
Gleditsia heterophylla, 154
 — *horrida*, 153
 — *japonica*, 153
 — *sinensis*, 154
 — *sp.*, 155
 — *triacanthos*, 127
 — *xylocarpa*, 154
Glochidion Arnottianum, 30
 — *baladense*, 92
 — *dasyphyllum*, 30
 — *diospyroides*, 92
 — *molle*, 30
 — *obscurum*, 192
 — *Pancherianum*, 92
 — *puberum*, 192
 — *sp.*, 192
Glyptostrobus, Taxodium and, 249
Glyptostrobus pendulus, 22
Gongrodiscus sufferrugineus, 93
Greslania circinata, 85
Grevillea Gillivrayi, 87
 — *heterochroma*, 87
 — *macrostachys*, 87
Grossularia echinella, 148
Guettarda fusca, 102
 GUILLAUMIN, A., Angiospermae [Ligneous
 plants collected in New Caledonia], 85
Guioa collina, 93
 — *villosa*, 93
Gymnocladus dioica, 127
 — *Williamsii*, 153
Gynopogon celastrineum, 101
 — *leucogyne*, 101
Halesia monticola vestita, 134
Hamamelis macrophylla, 122
 — *vernalis*, 122
Hedysarum multijugum, 171
 — *sp.*, 171
Helichrysum neo-caledonicum, 103
 Herbarium, Accessions to the, during the
 year ended June 30, 1926, 248

- Hibbertia altigena*, 94
 — *Brongniartii*, 94
 — *lucens*, 94
 — *lucida*, 94
 — *lucida*, 94
 — *podocarpifolia*, 94
 — *scabra*, 94
 — *trachyphylla*, 94
Homalanthus nutans, 93
Homalium Francii, 95
 Hot Springs National Park and vicinity.
 Ligneous flora of, 104
Hugonia Deplanchei, 90
Huonia laevis, 91
Hybanthus austro-caledonicus, 95
 — *ilicifolius serratifolia*, 95
Hydrangea arborescens, 122
 — *japonica Hortensia*, 240
 — — *plena*, 240
 — *macrophylla*, 240
 — *macrophylla Hortensia*, 240
Hypericum adpressum, 132
 — *cistifolium*, 131
 — *prolificum*, 131
Ilex caroliniana, 129
 — *decidua*, 129
 — *opaca*, 129
 — *Pernyi*, 199
 — *vomitorea*, 129
 — *yunnanensis*, 199
Illicium burmanicum, 238
 — *yunnanense*, 238
Indigofera amblyantha, 161
 — — *Purdomii*, 240
 — *Bungeana*, 160
 — *Carlesii*, 160
 — *Hosiei*, 161
 — *ichangensis*, 161
 — *Kirilowii*, 159
 — *macrostachya*, 159
 — *micrantha*, 160
 — *Potaninii*, 161
 — *Potaninii*, 161
 — *pseudotinctoria*, 160
 — *pseudotinctoria*, 160
Ionidium austro-caledonicum, 95
 — *serratifolium*, 95
Itea virginica, 122
Joinvillea elegans, 86
Juglans nigra, 117
Juniperus chinensis, 67
 — *communis*, 64
 — *formosana*, 63
 — *horizontalis alpina*, 137
Juniperus Lambertiana, 65
 — *Mairei*, 64
 — *monosperma gymnocarpa*, 239
 — *morrisonicola*, 65
 — *occidentalis gymnocarpa*, 239
 — *pseudosabina*, 67
 — *recurva*, 66
 — *recurva*, 66
 — — *densa*, 65
 — — *squamata*, 65
 — — *typica*, 66
 — *religiosa*, 65
 — *rigida*, 64, 65
 — *squamata*, 64
 — — *Fargesii*, 65
 — — *Wilsonii*, 65
 — *taxifolia*, 64
 — *virginiana*, 116
 — *Wallichiana*, 67
 — — *meionocarpa*, 67
Keteleeria Davidiana, 53
 — — *formosana*, 54
 — *Delavayi*, 53
 — *Esquirolii*, 54
 — *Evelyniana*, 54
 — *Fabri*, 55
 — *formosana*, 54
 — *sacra*, 53
Knightia Deplanchei, 87
Koelreuteria paniculata, 226
Lantana Camara, 101
Larix chinensis, 46
 — *Griffithii*, 46
 — *Potaninii*, 46
 — *thibetica*, 46
Lawsonia Acronychia, 91
 Leaves from a collector's note book, 136
Leptospermum parvulum, 98
Lespedeza bicolor, 173
 — *bicolor*, 172
 — — *intermedia*, 173
 — *Buergeri*, 171
 — *Caragana*, 175
 — *Caraganae*, 175
 — *cyrtobotrya*, 172
 — *daurica*, 176
 — *floribunda*, 173
 — *floribunda*, 175
 — *formosa*, 172
 — *inschanica*, 175
 — *juncea*, 176
 — *juncea*, 174
 — — *inschanica*, 175
 — — *juncea*, 174, 175, 176

- Lespedeza juncea sericea*, 174, 175
 — *macrocarpa*, 178
 — *macrophylla*, 177
 — *medicaginoides*, 174, 175, 176
 — *sericea*, 174
 — *sp.*, 173
 — *Stottsae*, 172
 — *tomentosa*, 177
 — *trichocarpa*, 174, 176
 — *villosa*, 177
 — *virgata*, 177
Leucaena glauca, 90
Leucopogon albicans, 98
 — *Billardieri*, 98
 — *cymbulae*, 98
 — *dammarifolius*, 98
Libocedrus austrocaledonicus, 85
 — *macrolepis*, 62
 — *neocaledonicus*, 85
 Library, Accessions to the, during the year ended June 30, 1926, 245
 Ligneous flora of Hot Springs national park and vicinity, The, 104
 Ligneous plants collected in New Caledonia by C. T. White in 1923, 74
Limonia lucida, 91
 Lindley's New Double Flowering Dogwood, 243
Liquidambar styraciflua, 122, 138
Lomatia trinervis, 87
Lonicera brachypoda, 37
 — — *repens*, 37
 — *confusa*, 37
 — *deflexicalyx xerocalyx*, 36
 — *diversifolia*, 37
 — *Ferdinandi induta*, 35
 — *flava*, 135
 — *flexuosa*, 36
 — *hirsuta* × *prolifera*, 37
 — — × *Sullivantii*, 37
 — *japonica*, 135
 — — *chinensis*, 37
 — — *flexuosa*, 37
 — — *repens*, 36
 — *nigra*, 36
 — *Sargentii*, 37
 — *sempervirens*, 135
 — *trichosantha acutiuscula*, 36
 — — *glabrata*, 35
 — *xerocalyx*, 36
Lumnitzera coccinea, 96
Lunasia quercifolia lanceolata, 232
Maackia amurensis, 158
 — *chinensis*, 158
Maackia honanensis, 158
 — *hupehensis*, 158
Maba parviflora, 100
Macaranga alchorneoides, 92
 — *Vieillardii*, 92
Maclura pomifera, 121
Maesa novo-caledonica, 99
 Magnoliaceae collected by J. F. Rock in Yunnan and Indo-China, 235
Magnolia Delavayi, 236
 — *globosa*, 235
 — — *sinensis*, 235
 — *mollicomata*, 235
 — *Nicholsoniana*, 235
 — *nitida*, 236
 — *rostrata*, 235
 — *tripetala*, 122
 — *tsarongensis*, 235
 — *virginiana*, 143
Mallotus apelta, 192
Malus angustifolia, 141
 — *brevipes*, 24
 — *Eleyi*, 27
 — *floribunda brevipes*, 24
 — — *spontanea*, 25
 — *Halliana spontanea*, 25
 — *prunifolia fastigiata*, 26
 — *purpurea aldenhamensis*, 27
 — — *Eleyi*, 27
 — *robusta erecta*, 26
 — *Sieboldii calocarpa*, 25
 — *spontanea*, 25
 — *zumi calocarpa*, 25
Mapouria Balansae, 103
 — *Deplanchei*, 103
 — *Douarrei*, 103
 — *speciosa*, 103
Melaleuca Leucadendron, 97
 — *pungens*, 97
 — *viridiflora*, 97
Melastoma denticulata, 98
Melia Azedarach, 189
 — *japonica*, 189
Melicope lasioneura, 90
Melodinus Balansae, 100
 — *inaequilatus*, 100
 — *intermedius*, 100
Menispermum canadense, 122
Meryta coriacea, 98
Mezoneurum Baudouini, 90
Michelia champaca, 236
 — *floribunda*, 236
 — *lanceolata*, 236
 — *manipurensis*, 236

- Michelia yunnanensis*, 236
Microsemma salicifolia, 95
Monimopetalum 233
 — *chinense*, 234
Monimopetalum, a new genus of Celastraceae, 233
Montrouzieria sphaeroidea, 95
 — *sphaeriflora*, 95
Moorea artensis, 97.
 — *canescens*, 97
 — *Deplanchei*, 97
 — *floribunda*, 97
Morinda Forsteri, 103
 — *umbellata*, 103
Morus alba, 121
 — *rubra*, 121
Murraya exotica, 91
Myodocarpus fraxinifolius, 98
 — *involucratus*, 98
Myrica cerifera, 117
Myrtopsis novae-caledoniae, 90
Myrtus paitensis, 96
 — *rufo-punctatus*, 96
 — *turbinatus*, 96
Nageia minor, 78
Nemedra elaeagnoidea, 91
 New Caledonia, Ligneous plants collected in, by C. T. White in 1923, 74
 New species of *Paramignya* from Papua with notes on two other Papuan Rutaceae, A, 231
 New species, varieties and combinations from the herbarium and the collections of the Arnold Arboretum, 22, 145, 239
Normandia neo-caledonica, 103
 Northern China, Enumeration of the Ligneous plants of, 151
Notelaea Badula, 100
 — *vaccinioides*, 100
 Notes, 68, 245
Nyssa sylvatica, 132
Ochrosia miana, 101
Opuntia humifusa, 132, 141
 — *rhodantha xanthostemma*, 149
 — *sp.*, 132
 — *xanthostemma*, 149
Orobus lathyroides, 180
Osmanthus Badula, 100
 — *vaccinioides*, 100
Ostrya virginiana, 117
Oxera robusta, 101
 PALMER, ERNEST J., Leaves from a collector's note-book, 136
 — Ligneous flora of Hot Springs National Park and vicinity, 104
Panax austro-caledonica, 98
 — *crenata*, 98
Pancheria alaternoides, 89
 — — *lanceolata*, 89
 — *elegans*, 89
 — *Engleriana*, 89
 — *ferruginea*, 89
 — *hirsuta*, 89
 — *insignis*, 89
 — *obovata*, 89
 — *Sebertii*, 90
 — *ternata*, 90
Paramignya, a new species from Papua, with notes on two other Papuan Rutaceae, 231
Paramignya Brassii, 231
Parthenocissus quinquefolia, 131
 — — *hirsuta*, 131
 Pear, Garber, 28
 — Kieffer, 28
 — LeConte, 28
Pteripterygia marginata, 93, 251
Phelline microcarpa, 93
Phellodendron amurense, 186
Philadelphus pubescens, 122, 141
Phoradendron flavescens, 121
Photinia nitakayamensis, 251
Phyllanthus adenandrus, 92
 — *Arnottianus*, 30
 — *baladensis*, 92
 — *Pancherianus*, 92
 — *ramiflorus*, 191
 — *simplex*, 192
 — *ussuriensis*, 192
 — *Vieillardii*, 92
Picea Alcockiana, 47
 — *ascendens*, 48
 — *complanata*, 48
 — *likiangensis*, 46
 — *montigena*, 47
Picrasma ailanthoides, 187
 — *quassioides*, 187
Piliocalyx Baudouini, 97
Pinus Armandi, 45
 — — *Mastersiana*, 45
 — *Cavendishiana*, 22
 — *Davidiana*, 53
 — *densata*, 23
 — *echinata*, 115
 — *Evelyniana*, 54
 — *excelsa chinensis*, 45
 — *Fabri*, 55
 — *Finlaysonian*, 44
 — *insularis*, 43
 — *Kasya*, 44

- Pinus Kesiya*, 43
 — *khasiana*, 43
 — *Khasya*, 44
 — *koraiensis*, 45
 — *Latteri*, 44
 — *levis*, 45
 — *mandschurica*, 45
 — *Massoniana*, 45
 — *Mastersiana*, 45
 — *Merkusii*, 44
 — *prominens*, 23
 — *quinquefolia*, 45
 — *sacra*, 53
 — *scipioniformis*, 45
 — *sinensis*, 22, 46
 — — *densata*, 23
 — — *yunnanensis*, 43
 — *sumatrana*, 44
 — *sylvestris*, 44
 — *tabulaeformis*, 22, 42
 — — *densata*, 23
 — *Taeda*, 115
 — *taeda*, 43
 — *yunnanensis*, 43
Pirocydonia Danieli, 148
Pistacia chinensis, 194
 — — *latifoliolata*, 195
Pittosporum mouanum, 88
 — *rhytidocarpum*, 89
 — *Simsonii*, 88
 — *suberosum*, 89
 — *turbinatum*, 88
Planchonella Pancheri, 100
Planera aquatica, 120
Platanus occidentalis, 123
Podocarpus alpina arborescens, 79
 — — *caespitosa*, 79
 — *araucarioides*, 80
 — *caespitosus*, 79
 — *ferruginoides*, 78
 — *Forrestii*, 42
 — *gnidioides*, 79
 — *gnidioides*, 79
 — — *caespitosus*, 79
 — *longefoliolatus*, 79
 — *macrophylla*, 42
 — — *acuminatissima*, 42
 — *macrophyllus*, 42
 — *Mairei*, 42
 — *minor*, 78
 — *neriifolius*, 41
 — *novae-caledoniae*, 78
 — — *latifolia*, 79
 — *pectinata*, 81
Podocarpus rivularis, 79
 — *sp.*, 78, 80
 — *sutchuenensis*, 53
 — *tarodioides*, 80
 — *tenuifolia*, 77
 — *usta*, 77
 — *Vieillardii*, 77
Polygala sibirica, 190
Polygonella americana, 121
Polypodiopsis Muelleri, 77
Polyscias austro-caledonica, 98
 — *dioica*, 98
Pomaderris neo-caledonica, 93
Poncirus trifoliata, 128, 186
Populus balsamifera virginiana, 116
Prunus americana, 127
 — *lanata*, 127
 — *mexicana*, 127
 — *Munsoniana*, 127
 — *Petunnikowi*, 29
 — *Reverchonii*, 127
 — *serotina*, 127
Pseudotsuga Davidiana, 53
 — *Forrestii*, 51
 — *japonica*, 51
 — *sinensis*, 52
 — *Wilsoniana*, 51
Psidium guajava, 96
Psychotria calothyrsus, 102
 — *Fagueti*, 102
 — *oleoides*, 102
 — *Pancheri*, 102
 — — *rubiginosa*, 102
 — *rubiginosa*, 102
 — *rupicola*, 103
 — *Schumanniana*, 102
 — *sp. nov.*, 103
 — *speciosa*, 103
Ptelea trifoliata, 128
Pterochrosia Vieillardii, 101
Pueraria hirsuta, 180
 — *Thunbergiana*, 180
Pyro-Cydonia Danieli, 148
 — *Winkleri*, 149
Pyronia Danieli, 148
 — — *Winkleri*, 149
Pyrus Calleryana lanceata, 28
 — *communis* × *serotina*, 28
 — *Eleyi*, 27
 — *Lecontei*, 28
 — *Malus aldenhamensis*, 27
 — *Sieboldii calocarpa*, 25
Quercus alba, 118
 — — *latiloba*, 118

- Quercus borealis maxima*, 118
 — *chinensis microcarpa*, 239
 — *coccinea*, 144
 — *garlandensis*, 119
 — *incomita*, 120
 — *ludoviciana microcarpa*, 239
 — — *subfalcata*, 240
 — *marilandica*, 118
 — — \times *rubra*, 120
 — *Muhlenbergii*, 118
 — *nigra*, 119
 — — *heterophylla*, 141
 — — \times *rubra*, 119
 — — \times *velutina*, 119
 — *obtusa*, 141
 — *Phellos*, 119
 — — *microcarpa*, 239
 — — \times *velutina*, 120
 — *rhombica*, 141
 — *rubra*, 118
 — — *leucophylla*, 141
 — *Rudkinii*, 141
 — *stellata*, 118
 — — *araneosa*, 118, 141
 — *Shumardii Schneckii*, 118
 — *subfalcata*, 240
 — — *microcarpa*, 239
 — *velutina*, 118
 — — *missouriensis*, 118
Rapanea asymmetrica, 99
Rauwolfia semperflorens, 101
 REHDER, ALFRED, Enumeration of the Lign-
 eous plants of northern China, 151
 — *Monimopetalum*, a new genus of Cela-
 straceae, 233
 — New species, varieties and combinations
 from the herbarium and the collections of
 the Arnold Arboretum, 22, 145, 239
Ribes echinellum, 148
 — *odoratum xanthocarpum*, 24
Rhamnus caroliniana, 130
Rhizophora mucronata, 95
Rhododendron arborescens flavescens, 244
 — *arborescens rubescens*, 244
 — *calycinum*, 33
 — *canescens*, 132
 — *carolinianum foliatum*, 33
 — *indicum phoeniceum*, 33
 — *oblongifolium*, 132
 — *phoeniceum*, 33
 — — *calycinum*, 33
 — *pulchrum calycinum*, 33
 — — *phoeniceum*, 33
 — *roseum*, 132
Rhodomyrtus andromedoides, 96
Rhus ailanthoides, 187
 — *atra*, 93
 — *canadensis*, 128
 — *chinensis*, 197
 — *copallina*, 128
 — *Cotinus*, 195, 196
 — *glabra*, 129
 — *javanica*, 197
 — *Potanini*, 197
 — *punjabensis sinica*, 197
 — *quercifolia*, 129
 — *semialata*, 197
 — — *Osbeckii*, 197
 — — *Roxburghii*, 198
 — *sinica*, 197
 — *sp.*, 199
 — *sp.*, 196
 — *succedanea*, 199
 — — *japonica*, 199
 — *sylvestris*, 198
 — *Toxicodendron*, 129
 — *verniciflua*, 198
 — *verniciifera*, 198
Robinia pseudoacacia, 127
 Rock, J. F., Magnoliaceae collected by, in
 Yunnan and Indo-China, 235
Rosa carolina, 127
 — *Lyonii*, 127
 — *setigera tomentosa*, 126
 — *subserrulata*, 126
Rubus Andrewsianus, 126
 — *Chingii*, 70
 — *Chungii*, 70
 — *Fraseri*, 29
 — *odoratus* \times *parviflorus*, 29
 — *robustus*, 29
 — *rubrisetus*, 126.
 — *thyrsoides*, 126
 — *ulmifolius foliis variegatis*, 29
 — — *variegatus*, 29
 — *villosus*, 126
Sabina recurva, 66
 — *squamata*, 65
Salix humilis, 116
 — *longifolia*, 140
 — *longipes Wardii*, 116
 — *nigra*, 116
Sambucus canadensis, 135
Sapium japonicum, 193
 — *sebiferum*, 193
Sarcozygium xanthoxylum, 181
 SARGENT, C. S. Corrections and emenda-

- tions of the second edition of Sargent's
Manual of the trees of North America, 1
- Sassafras officinale*, 122
- Scaevola Beckii*, 103
- *cylindrica*, 103
- *montana*, 103
- *saligna*, 103
- Schefflera Gabriellae*, 98
- *golip*, 98
- Schinus terebinthifolius*, 93
- Schisandra chinensis*, 237
- *elongata*, 238
- *glaucescens*, 237
- *grandiflora cathayensis*, 238
- *rubriflora*, 238
- *sphenanthera*, 237
- Schizocalyx rubiginosa*, 96
- Schubertia disticha pendula*, 22
- Securinega flueggeoides*, 191
- *ramiflora*, 191
- Semecarpus atra*, 93
- Serianthes calycina*, 90
- *myriadenia*, 90
- Sideroxylon cinereum*, 100
- Smilax Bona-nox*, 116
- *glauca*, 116
- *hispida*, 116
- *lancifolia*, 116
- *rotundifolia*, 116
- Solmsia calophylla*, 94
- Sophora flavescens*, 157
- *galegoides*, 158
- *japonica*, 155
- — *oligophylla*, 156
- — *pendula*, 156
- — *pubescens*, 156
- *Moorcroftiana*, 157
- — *Davidi*, 157
- *viciifolia*, 157
- Soulamea fraxinifolia*, 91
- *Pancheri*, 91
- *tomentosa*, 91
- Sparattosyce dioica*, 87
- Spermolepis gummifera*, 97
- *rubiginosa*, 96
- *tannifera*, 97
- Sphaerostema elongatum*, 238
- Spiraeanthemum ellipticum*, 89
- Sponia Vieillardii*, 86
- Staphylea bumalda*, 214
- *Emodi*, 214
- *holocarpa*, 214
- *trifolia*, 129
- Stenocarpus Forsteri*, 87
- Stenocarpus laurifolius*, 87
- *laurinus*, 87
- *trinervis*, 87
- *umbellatus*, 87
- Stewartia koreana*, 242
- Stillingia nutans*, 93
- Storckiella laurina*, 90
- *Pancheri*, 90
- Stranvaesia Davidiana salicifolia*, 29, 251
- *niitakayamensis*, 251
- *salicifolia*, 29
- Strasburgeria calliantha*, 88
- Styrax americana*, 134
- *grandifolia*, 134
- Symphoricarpos orbiculatus*, 135
- Syringa affinis Giralddi*, 34
- *dilatata*, 34
- *Giralddi*, 34
- *oblata dilatata*, 34
- — *Giralddi*, 34
- *Rehderiana*, 34
- *tomentella Rehderiana*, 34
- Syzygium lateriflorum*, 96
- *multipetalum*, 96
- *patens*, 97
- *sp.*, 97
- Tabernaemontana cerifera*, 100
- Taiwania cryptomerioides*, 58, 229, pl. 3
- Taiwanites*, 58
- Tapeinosperma Pancheri*, 99
- *Whitei*, 99
- Taxads and Conifers of Yunnan, 37
- Taxodium and Glyptostrobus*, 349
- Taxodium adscendens pendulum*, 22
- *ascendens nutans*, 22
- *distichum nutans*, 22
- — *pendulum*, 22
- — — *nutans*, 22
- *japonicum*, 59
- *sinense*, 22
- Taxus baccata*, 41
- — *cuspidata chinensis*, 41
- — *Wallichiana chinensis*, 41
- *chinensis*, 41
- *cuspidata*, 41
- — *chinensis*, 41
- Tecoma radicans flava*, 34
- — *lutea*, 34
- Tetracentron sinense*, 239
- Tetracera Euryandra*, 94
- Thuja macrolepis*, 63
- *orientalis*, 62, 71, pl. 1
- — *Kawaii*, 62
- Tieghemopanax austro-caledonicus*, 98

- Tieghemopanax dioicus*, 98
Tilia americana ampelophylla, 32
— — *densiflora oenophylla*, 32
— — *laxiflora*, 32
— — *macrophylla*, 32
— — *megalodonta*, 32
— *caroliniana*, 131
— *floridana*, 131
— *glabra ampelophylla*, 32
— — *dentata*, 32
— — *macrophylla*, 32
— *incisa-dentata*, 32
— *incisodentata*, 32
— *longidentata*, 32
— *longifolia dentata*, 32
— *macrophylla*, 32
— *nigra incisa*, 32
— *nigro-longifolia dentata*, 32
— *nigra macrophylla*, 32
Timonius platycarpus, 102
Toona sinensis, 189
Torreya Fargesii, 40
— *grandis*, 40
Trachelospermum difforme, 134
Trema Vieillardii, 86
Trifolium dauricum, 176
Tristania Callobuxus, 97
— *glauca*, 97
Tristaniopsis Callobuxus, 97
— *glauca*, 97
Tsuga Brunoniana, 50
— *calcareae*, 50
— *chinensis*, 50
— *diversifolia*, 50
— *dumosa chinensis*, 50
— *dura*, 49
— *formosana*, 50
— *Forrestii*, 50
— *intermedia*, 50
— *leptophylla*, 49
— *patens*, 50
— *Sieboldii*, 50
— *Wardii*, 50
— *yunnanensis*, 49
— *yunnanensis*, 50
Tumion fargesii, 40
Ulmus alata, 120
— *americana*, 120
— *fulva*, 120
— *serotina*, 120
Uragoga Balansae, 103
— *calothyrsus*, 102
— *Faguetti*, 102
— *oleoides*, 102
— *Uragoga Pancheri*, 102
— *rupicola*, 103
Vaccinium arboreum, 133
— *corymbosum*, 133
— *Elliottii*, 141
— *stamineum*, 133
— *vacillans*, 133
— — *crinitum*, 133
— *virgatum*, 133
— — *speciosum*, 133
Ventilago leiocarpa, 93
— *neo-caledonica*, 93
Viburnum macrophyllum, 240
— *nudum*, 135, 141
— *prunifolium*, 135
— *rufidulum*, 135
Vicia unijuga, 179
Vitis cinerea, 131
— *Coignetiae glabrescens*, 31
— *cordiformis*, 130
— *Kaempferi glabrescens*, 31
— *Lecontiana*, 131
— *Linsecomii glauca*, 130
— *palmata*, 130
— *rotundifolia*, 131
— *rupestris*, 130
— *vulpina*, 141
Vitex trifolia, 101
WHITE, C. T., A New species of *Paramignya* from Papua with notes on two other Papuan Rutaceae, 231.
— Introductory note, Ligneous plants collected in New Caledonia in 1923, 74
WILSON, ERNEST H., Gymnospermae [Ligneous plants collected in New Caledonia], 76
— Magnoliaceae collected by J. F. Rock in Yunnan and Indo-China, 235
— *Taiwania cryptomerioides* Hayata, 229
— The Taxads and Conifers of Yunnan, 37
— *Thuja orientalis* Linnaeus, 71
Wistaria brachybotrys, 162
— *brevidentata*, 163
— *chinensis*, 161, 162
— *frutescens albo-lilacina*, 149
— — *rosea*, 149
— *macrostachya*, 128
— — *albo-lilacina*, 149
— *sinensis*, 161
— *venusta*, 162
— — *violacea*, 163
— *villosa*, 161
Xanthoceras sorbifolia, 227
Xanthostemon rubrum, 97
— *sp.*, 97

- Xanthoxylum* sp., 184
Xolisma ligustrina, 133
 — — *foliosiflora*, 133
 — — *mariana*, 133
Xylosma suaveolens, 95
Xylosteum flexuosum, 36
Yucca glauca, 116, 140
 Yunnan, Taxads and Conifers of, 37
Zanthoxylum alatum, 184
 — — *planispinum*, 183
 — — *americanum*, 128, 141
 — — *Bretschneideri*, 185
 — — *Bungeanum*, 182
 — — *Bungei*, 181, 183
 — — *imperforatum*, 182
Zanthoxylum Bungei Zimmermannii, 183
 — — *Clava-Herculis*, 128
 — — *Daniellii*, 185, 186
 — — *nitidum*, 181
 — — *Piasezkii*, 183
 — — *piperitum*, 184
 — — *piperitum*, 183
 — — *planispinum*, 184
 — — *schinifolium*, 184
 — — **macrocarpum**, 185
 — — *setosum*, 183
 — — *simulans*, 181
 — — *simulans Zimmermannii*, 183
 — — *undulatifolium*, 183
Zygophyllum xanthoxylum, 181